


CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

PRODUCED: NOV 25, 2022

SAMPLE: 064D KFG HTE 221109 POUR OFF (CONCENTRATE) // CLIENT: ABSTRAX LABS LONG BEACH // BATCH: PASS



MATRIX: CONCENTRATE
 CATEGORY: INHALABLE
 SAMPLE ID: BCL-221122-130
 COLLECTED ON: NOV 22, 2022
 RECEIVED ON: NOV 22, 2022
 SAMPLE SIZE: 8 G

CANNABINOID OVERVIEW

TOTAL THC:	45.40102 %
TOTAL CBD:	0.4249 %
SUM OF CANNABINOIDS:	57.05766 %



POTENCY



PEST
PASS



MYCO
PASS



METALS
PASS



SOLVENT
PASS

BCL-03: CANNABINOID POTENCY BY HPLC-UV // NOV 25, 2022

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.39312 %	3.9312 mg/g	0.02157/0.49029	N/A
CBCA	0.89361 %	8.9361 mg/g	0.06178/0.49029	N/A
CBD	0.05305 %	0.5305 mg/g	0.0304/0.49029	N/A
CBDA	0.42400 %	4.2400 mg/g	0.01569/0.49029	N/A
CBDV	ND	ND	0.02353/0.49029	N/A
CBDVA	ND	ND	0.01569/0.49029	N/A
CBG	1.17386 %	11.7386 mg/g	0.02844/0.49029	N/A
CBGA	4.39272 %	43.9272 mg/g	0.01961/0.49029	N/A
CBN	0.08521 %	0.8521 mg/g	0.01569/0.49029	N/A
Δ ⁸ -THC	ND	ND	0.05687/0.49029	N/A
Δ ⁹ -THC	18.00961 %	180.0961 mg/g	0.04118/0.49029	N/A
THCA	31.23308 %	312.3308 mg/g	0.02942/0.49029	N/A
THCV	0.11032 %	1.1032 mg/g	0.03236/0.49029	N/A
THCVA	0.28908 %	2.8908 mg/g	0.02255/0.49029	N/A
TOT THC**	45.40102 %	454.0102 mg/g		N/A
TOT CBD**	0.42490 %	4.2490 mg/g		N/A

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)

TERPENOID TESTING BY HS-GC/FID

ANALYTE	AMT	AMT	LOD/LOQ ()	PASS/FAIL
TOTAL TERPENES	ND	ND		N/A
α-PINENE	NT	NT		N/A
CAMPHENE	NT	NT		N/A
β-PINENE	NT	NT		N/A
β-MYRCENE	NT	NT		N/A
Δ ³ -CARENE	NT	NT		N/A
α-TERPINENE	NT	NT		N/A
D-LIMONENE	NT	NT		N/A
P-CYMENE	NT	NT		N/A
α-OCIMENE*	NT	NT		N/A
β-OCIMENE*	NT	NT		N/A
γ-TERPINENE	NT	NT		N/A
TERPINOLENE	NT	NT		N/A
LINALOOL	NT	NT		N/A
ISOPULEGOL	NT	NT		N/A
GERANIOL	NT	NT		N/A
β-CARYOPHYLLENE	NT	NT		N/A
α-HUMULENE	NT	NT		N/A
CIS-NEROLIDOL	NT	NT		N/A
TRANS-NEROLIDOL	NT	NT		N/A
GUAJOL	NT	NT		N/A
α-BISABOLOL	NT	NT		N/A
1,8-CINEOLE*	NT	NT		N/A

* BEYOND SCOPE OF ACCREDITATION

RESULTS CERTIFIED BY: DZOANA KLISARA, B.SC.
 LABORATORY DIRECTOR, BELCOSTA LABS
 NOV 25, 2022

Dzoana Klisara



BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI // NOV 25, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.0244/0.07393	PASS	METALAXYL	2 µg/g	ND	0.0058/0.01757	PASS
ACEPHATE	0.1 µg/g	ND	0.01224/0.0371	PASS	METHIOCARB	Any amt	ND	0.00885/0.02681	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.01993/0.06038	PASS	METHOMYL	1 µg/g	ND	0.00837/0.02537	PASS
ACETAMIPRID	0.1 µg/g	ND	0.0043/0.01302	PASS	MEVINPHOS	Any amt	ND		PASS
ALDICARB	Any amt	ND	0.01219/0.03693	PASS	MEVINPHOS I		ND	0.001/0.00303	N/A
AZOXYSTROBIN	0.1 µg/g	ND	0.00771/0.02337	PASS	MEVINPHOS II		ND	0.00529/0.01603	N/A
BIFENAZATE	0.1 µg/g	< LOQ	0.00373/0.01131	PASS	MYCLOBUTANIL	0.1 µg/g	ND	0.01719/0.0521	PASS
BIFENTHRIN	3 µg/g	ND	0.01267/0.03839	PASS	NALED	0.1 µg/g	ND	0.01059/0.0321	PASS
BOSCALID	0.1 µg/g	ND	0.01406/0.04261	PASS	OXAMYL	0.5 µg/g	ND	0.00617/0.01869	PASS
CARBARYL	0.5 µg/g	ND	0.00615/0.01865	PASS	PACLOBUTRAZOL	Any amt	ND	0.01076/0.03262	PASS
CARBOFURAN	Any amt	ND	0.00411/0.01246	PASS	PERMETHRIN	0.5 µg/g	ND		PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.01069/0.0324	PASS	PERMETHRIN CIS		ND	0.00993/0.03008	N/A
CLOFENTEZINE	0.1 µg/g	ND	0.01404/0.04256	PASS	PERMETHRIN TRANS		ND	0.01265/0.03833	N/A
COUMAPHOS	Any amt	ND	0.01952/0.05914	PASS	PHOSMET	0.1 µg/g	ND	0.00601/0.01822	PASS
CYFLUTHRIN	2 µg/g	ND	0.1511/0.45788	PASS	PIPERONYLBUTOXIDE	3 µg/g	< LOQ	0.00261/0.00791	PASS
CYPERMETHRIN	1 µg/g	ND	0.02284/0.06921	PASS	PRALLETHRIN	0.1 µg/g	ND	0.00989/0.02996	PASS
DAMINOZIDE	Any amt	ND	0.0237/0.07182	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.00577/0.01747	PASS
DIAZINON	0.1 µg/g	ND	0.0027/0.00818	PASS	PROPOXUR	Any amt	ND	0.00593/0.01798	PASS
DIMETHOATE	Any amt	ND	0.00353/0.01069	PASS	PYRETHRINS	0.5 µg/g	0.0185		PASS
DIMETHOMORPH	2 µg/g	ND		PASS	PYRETHRINS PYRETHRIN I		0.0185	0.00435/0.01318	N/A
DIMETHOMORPH I		ND	0.00554/0.01679	N/A	PYRETHRINS PYRETHRIN II		< LOQ	0.00386/0.01169	N/A
DIMETHOMORPH II		ND	0.00327/0.00992	N/A	PYRIDABEN	0.1 µg/g	ND	0.00388/0.01176	PASS
ETHOPROPHOS	Any amt	ND	0.00632/0.01914	PASS	SPINETORAM	0.1 µg/g	ND		PASS
ETOFENPROX	Any amt	ND	0.00604/0.01831	PASS	SPINETORAM J		ND	0.00694/0.02103	N/A
ETOXAZOLE	0.1 µg/g	ND	0.00363/0.01099	PASS	SPINETORAM L		ND	0.00902/0.02734	N/A
FENHEXAMID	0.1 µg/g	ND	0.01344/0.04073	PASS	SPINOSAD	0.1 µg/g	ND		PASS
FENOXYCARB	Any amt	ND	0.0047/0.01423	PASS	SPINOSAD A		ND	0.00799/0.02422	N/A
FENPYROXIMATE	0.1 µg/g	ND	0.00277/0.0084	PASS	SPINOSAD D		ND	0.00275/0.00834	N/A
FIPRONIL	Any amt	ND	0.00678/0.02054	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.00693/0.021	PASS
FLONICAMID	0.1 µg/g	ND	0.0046/0.01393	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.00537/0.01627	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.03245/0.09834	PASS	SPIROXAMINE	Any amt	ND	0.00549/0.01663	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.00409/0.01238	PASS	TEBUCONAZOLE	0.1 µg/g	< LOQ	0.00874/0.02647	PASS
IMAZALIL	Any amt	ND	0.012/0.03637	PASS	THIACLOPRID	Any amt	ND	0.00458/0.01389	PASS
IMIDACLOPRID	5 µg/g	ND	0.00796/0.02411	PASS	THIAMETHOXAM	5 µg/g	ND	0.00395/0.01196	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.00989/0.02997	PASS	TRIFLOXYSTROBIN	0.1 µg/g	0.0175	0.00354/0.01072	PASS
MALATHION	0.5 µg/g	< LOQ	0.00701/0.02124	PASS					

BCL-13: PESTICIDE TESTING BY GC/MS // NOV 25, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.03094/0.09369	PASS	CHLORPYRIFOS	Any amt	ND	0.011/0.03341	PASS
CHLORDANE	Any amt	ND		PASS	DICHLORVOS	Any amt	ND	0.01159/0.03511	PASS
CHLORDANE CIS		ND	0.01094/0.03317	N/A	METHYL PARATHION	Any amt	ND	0.01329/0.04029	PASS
CHLORDANE TRANS		ND	0.01047/0.03164	N/A	PENTACHLORONITROBENZENE	0.1 µg/g	ND	0.01382/0.04193	PASS
CHLORFENAPYR	Any amt	ND	0.02358/0.0714	PASS					



BCL-18: RESIDUAL SOLVENTS ANALYSIS BY HS-GC-MS // NOV 25, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.16699/0.58252	PASS
ACETONE	5000 µg/g	< LOQ	18.79612/58.25243	PASS
ACETONITRILE	410 µg/g	ND	16.67961/58.25243	PASS
BENZENE	1 µg/g	ND	0.07379/0.58252	PASS
BUTANE	5000 µg/g	2028.593	17.58835/58.25243	PASS
CHLOROFORM	1 µg/g	ND	0.17087/0.58252	PASS
ETHANOL	5000 µg/g	109.187	14.41942/58.25243	PASS
ETHYL ACETATE	5000 µg/g	ND	17.80583/58.25243	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.18641/0.58252	PASS
ETHYL ETHER	5000 µg/g	ND	15.68544/58.25243	PASS
HEPTANE	5000 µg/g	ND	13.72427/58.25243	PASS
HEXANE	290 µg/g	ND	21.1301/97.08738	PASS
ISOPROPYL ALCOHOL	5000 µg/g	ND	14.56311/58.25243	PASS
METHANOL	3000 µg/g	ND	13.06019/58.25243	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.14757/0.58252	PASS
PENTANE	5000 µg/g	ND	32.1165/97.08738	PASS
PROPANE	5000 µg/g	ND	16.59417/58.25243	PASS
TOLUENE	890 µg/g	ND	9.16893/58.25243	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.07767/0.58252	PASS
O-XYLENE		ND	4.34175/29.12621	N/A
P- AND M-XYLENE		ND	4.0233/29.12621	N/A
TOTAL XYLENES	2170 µg/g	ND		PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS // NOV 25, 2022

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.97/5.96	N/A
AFLATOXIN B2		ND	1.32/3.99	N/A
AFLATOXIN G1		ND	1.6/4.86	N/A
AFLATOXIN G2		ND	1.46/4.44	N/A
AFLATOXINS	20 µg/kg	ND		PASS
OCHRATOXIN A	20 µg/kg	ND	1.35/4.08	PASS

BCL-020: HEAVY METAL TESTING BY ICP-MS // NOV 23, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	< LOQ	0.001/0.05	PASS
CADMIUM	0.2 µg/g	< LOQ	0.0002/0.05	PASS
LEAD	0.5 µg/g	0.067	0.0003/0.05	PASS
MERCURY	0.1 µg/g	ND	0.0001/0.01	PASS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

